

Multi-sender cheap talk with restricted state spaces*

Attila Ambrus and Satoru Takahashi[†]

Abstract

This paper analyzes multi-sender cheap talk when the state space might be restricted, either because the policy space is restricted, or the set of rationalizable policies of the receiver is not the whole space. We provide a necessary and sufficient condition for the existence of a fully revealing perfect Bayesian equilibrium for any state space. We show that if biases are large enough and are not of similar directions, where the notion of similarity depends on the shape of the state space, then there is no fully revealing perfect Bayesian equilibrium. The results suggest that boundedness, as opposed to dimensionality, of the state space plays an important role in determining the qualitative implications of a cheap talk model. We also investigate equilibria that satisfy a robustness property, diagonal continuity.

*We would like to thank Drew Fudenberg for comments and suggestions, seminar participants at Harvard-MIT, UPenn, UC Berkeley, UChicago, the 2006 North American Meeting of the Econometric Society, the 2006 European Meeting of the Econometric Society, and the 18th International Conference on Game Theory at Stony Brook for comments, and Niels Joaquin for valuable research assistance.

[†]Department of Economics, Harvard University, Cambridge, MA 02138

1 Introduction

Sender-receiver games with cheap talk have been used extensively in both economics and political science to analyze situations in which an uninformed decision-maker acquires advice from an informed expert whose preferences do not fully coincide with those of the decision-maker. The seminal paper of Crawford and Sobel (1982) has been extended in many directions. In particular, Milgrom and Roberts (1986), Gilligan and Krehbiel (1989), Austen-Smith (1993), and Krishna and Morgan (2001a, 2001b) investigate the case when the decision-maker can seek advice from multiple experts. More recently, Battaglini (2002) extended the analysis to multi-dimensional environments (the decision-maker seeks advice in multiple issues), and called attention to the importance of equilibrium selection in multi-sender cheap talk games.

In this paper, we further investigate the existence of fully revealing equilibrium, and the existence of informative equilibrium, for general state spaces. These issues might have seemed to be settled, given that Battaglini (2002) provided a fairly complete analysis of two-sender cheap talk with unidimensional state spaces, and showed that if the state space is a multi-dimensional Euclidean space, then generically a fully revealing perfect Bayesian equilibrium can be constructed in which there are no out-of-equilibrium messages, hence these equilibria survive any refinement that puts restrictions on out-of-equilibrium beliefs. The construction provided is simple and intuitive: each sender only conveys information in directions along which her interest coincides with that of the receiver (directions that are orthogonal to the bias of the expert). Generically these directions of common interest span the whole state space; therefore, by combining the information obtained from the experts, the decision-maker can perfectly identify the state of the world.

The point where we depart from the above analysis is allowing for the state space in multiple dimensions that is not the whole Euclidean space, but a closed subset of it. The standard interpretation of states in sender-

receiver games is that they represent circumstances under which a given policy action is optimal for the receiver. Given this, a restricted state space emerges naturally if either the set of available policies are restricted, or if the set of rationalizable actions of the receiver is not the whole Euclidean space (that is, there are some policies that would not be chosen by the receiver under any circumstances). In this way, the analysis of multi-dimensional cheap talk is more comparable to earlier work in one-dimensional cheap talk, where the state space is standardly assumed to be a compact interval.

In a restricted state space, the construction given by Battaglini does not specify a full strategy profile, as the following example demonstrates. Consider a situation in which a policymaker needs to allocate a fixed budget to “education,” “military spending,” and “healthcare,” and this decision depends on factors that are unknown to her. Suppose she can ask for advice from two perfectly informed experts, a left-wing analyst and a right-wing analyst. Assume that the left-wing analyst has a bias towards spending more on education, while the right-wing analyst has a bias towards spending more on the military; both of them are unbiased with respect to healthcare. The situation can be depicted as in Figure 1. The state space in this example is represented by triangle ABC . B corresponds to a state in which it is optimal for the policymaker to spend the whole budget on the military; C corresponds to a state in which it is optimal to spend all money on education; while A corresponds to a state in which it is optimal to spend no money on either education or military.¹ The left-wing analyst’s bias is orthogonal to AB , in the direction of C . The right-wing analyst’s bias is orthogonal to AC , in the direction of B .

¹The example would remain valid if there were some positive lower bounds on each type of spending. In that case, the vertices of the triangle represent scenarios in which all the remaining part of the budget above the given minimum expenditures goes to one area.




Figure 1

Battaglini's solution in this case is asking the left-wing analyst to report along a line parallel to AC , which in effect means asking how much money should be spent on the military.² Similarly, the construction calls for the right-wing analyst to report along a line parallel to AB . But note that in this example, it is not true that any pair of such reports identifies a point in the state space. Consider state θ in Figure 1. If the left-wing analyst sends a truthful report, then the right-wing analyst can send reports that are incompatible with the previous message in the sense that the only point compatible with the message pair is outside the state space (like θ' in the figure). Intuitively, these incompatible messages call for a combined expendi-

²The most convenient way to think about this is taking a coordinate system in which the horizontal axis is parallel to AB , while the vertical axis is parallel to AC . Then the left wing analyst reports the true state's horizontal coordinate (which corresponds to a line parallel to the vertical axis, that is parallel to AC).

ture on military and education that exceeds the budget. Such message pairs of course never arise if the experts indeed play according to the candidate equilibrium. Nevertheless, it is important to specify what action the policy-maker takes after receiving a message like that, in order to make sure that both of the experts have the incentive to tell the truth. This raises the question whether Battaglini's construction can be extended by specifying actions after incompatible reports in such a way that it is always in the interest of both experts to tell the truth, and if not, then whether there exists any fully revealing equilibrium.

First we observe that Battaglini's characterization result for the existence of fully revealing perfect Bayesian equilibrium extends easily from state spaces that are compact line segments in one dimension, to arbitrary state spaces in any dimension. The result implies that the existence of fully revealing equilibrium is monotonic in the magnitude of biases, and that such equilibria always exist if the state space is large enough relative to the biases.

We also characterize the existence of fully revealing equilibria for a compact state space if biases are large. The case of senders with large biases is relevant in various applications: for example specialized committees of decision making bodies frequently consist of preference outliers. We show that a fully revealing equilibrium exists for arbitrarily large biases if and only if the senders have similar biases. Similarity of biases is defined relative to the shape of the state space: two biases are similar if the intersection of the minimal supporting hyperplanes to the state space that are orthogonal to the biases contains a point of the state space. The intuition is that this point can be used to punish players if they send contradicting messages to the receiver. If the state space has a smooth boundary, then directions are similar if and only if they are exactly the same.

This result reconciles the seeming discontinuity between multi-sender cheap talk with one versus multi-dimensional state space. In one dimension,

there are only two types of biases, the same direction and opposite directions. Biases of the former type are always similar, and biases of the latter type are never similar. Just as for multidimensional state spaces, biases with similar directions imply that full revelation is always possible in equilibrium, while non-similar directions imply that if biases are small enough, then full revelation is possible; otherwise, it is not.

Battaglini (2002) emphasizes that in cheap talk games with multiple senders perfect Bayesian equilibrium puts only very mild restrictions on out-of-equilibrium beliefs. Hence, not all equilibria are equally plausible: for example some equilibria might only be supported by beliefs after out-of-equilibrium message pairs that induce the policymaker to choose a policy that is far away from states that are compatible with any of the messages sent. We agree with this assessment, and for this reason, among the results above, we consider the ones that provide necessary conditions for the existence of a fully revealing equilibrium to be more valuable. To investigate information transmission in “plausible” equilibria further, we proceed by imposing a robustness property, called diagonal continuity, on beliefs. We motivate this property in three different ways, and demonstrate that imposing this extra restriction on equilibria can reduce the possibility of full revelation in equilibrium drastically. For example, if the state space is a two-dimensional set with a smooth boundary, and biases are not in the same direction, then there does not exist a fully revealing diagonally continuous equilibrium, no matter how small the biases are. As a counterpart of this result, we show that if the senders’ biases are not in completely opposite directions, then under mild conditions information transmission in the most informative diagonally continuous equilibrium can be bounded away from zero, no matter how large the biases are. The latter result is in contrast with the case of only one sender, where Crawford and Sobel (1982) show that in a unidimensional state space no information can be transmitted if the bias of the sender is large enough, and Levy and Razin (2007) show that in a

multidimensional state space there is an open set of environments in which the most informative equilibrium approaches the noninformative equilibrium as the size of bias goes to infinity.

2 The model

The model we consider has the same structure as that of Battaglini (2002), with the exception that the state space may be a proper subset of a Euclidean space. There are two senders and one receiver. The senders, labeled 1 and 2, both perfectly observe the state of the world $\theta \in \Theta$. Θ is referred to as the state space, which is a closed subset of \mathbb{R}^d . The prior distribution of θ is given by F . After observing θ , the senders send messages $m_1 \in M_1$ and $m_2 \in M_2$ to the receiver. The receiver observes these messages and chooses a policy $y \in Y \subseteq \mathbb{R}^d$ that affects the utility of all players. We assume that the policy space Y includes the convex hull of Θ , $\text{co}(\Theta)$.

For any $x = (x^1, \dots, x^d)$, $y = (y^1, \dots, y^d) \in \mathbb{R}^d$, $x \cdot y = \sum_{j=1}^d x^j y^j$ denotes the inner product, and $|x| = \sqrt{x \cdot x}$ denotes the Euclidean norm.

For state θ and policy y , the receiver's utility is $-|y - \theta|^2$, while sender i 's utility is $-|y - \theta - x_i|^2$. $x_i \in \mathbb{R}^d$ is called sender i 's bias. At state θ , the optimal policy of the receiver is θ , while the set of optimal policies of sender i are the points in Y that are the closest to $\theta + x_i$ according to the Euclidean distance (which is exactly policy $\theta + x_i$ if the latter is included in the policy space).³ Note that the magnitude of a sender's bias does not just change his optimal policies; it also changes his preferences over the whole policy space. Intuitively, as the magnitude of bias increases,

³If $\theta + x_i$ is outside the policy space, then the point $\theta + x_i$ does not have a direct interpretation. In particular it is not the "ideal point" of the sender. Preferences are only defined over Y .

the indifference manifolds (curves when $d = 2$) of sender i at any state get closer and closer to hyperplanes (lines) that are orthogonal to x_i . We note that this formulation can be generalized without affecting the main results of the paper. In particular, the quadratic loss functions can be changed to any smooth quasiconcave utility function, and some of the results can be extended to state-dependent biases as well.

Let $s_i: \Theta \rightarrow M_i$ denote a generic strategy of sender i in the above game, and let $y: M_1 \times M_2 \rightarrow Y$ denote a generic strategy of the receiver. Furthermore, let $f(m_1, m_2)$ denote the receiver's probabilistic belief of θ given messages m_1, m_2 . Strategies s_1, s_2, y constitute a perfect Bayesian equilibrium if there exists a belief function f such that (i) s_i is optimal given s_{-i} and y for each $i \in \{1, 2\}$; (ii) $y(m_1, m_2)$ is optimal given $f(m_1, m_2)$ for each $(m_1, m_2) \in M_1 \times M_2$; and (iii) s_1 and s_2 are measurable and f is a conditional probability system, given s_1, s_2 , and F : if $s_1^{-1}(m_1) \cap s_2^{-1}(m_2)$ has a positive probability with respect to F , then $f(m_1, m_2)$ is derived from Bayes' rule. Note that $f(m_1, m_2)$ can be any distribution that puts probability 1 on $s_1^{-1}(m_1) \cap s_2^{-1}(m_2)$ if the latter is nonempty. Beliefs f satisfying (iii) above are said to *support* the perfect Bayesian equilibrium (s_1, s_2, y) .

Note that the receiver's quadratic utility function implies that condition (ii) above is equivalent to requiring that $y(m_1, m_2)$ be equal to the expectation of θ under $f(m_1, m_2)$. Let $\mu(m_1, m_2)$ denote this expectation. The above implies that in perfect Bayesian equilibrium the receiver always plays a pure strategy. On the other hand, the senders might use mixed strategies in equilibrium, although the scope of this is rather limited in fully revealing equilibria, which are in the center of our investigation. In the main part of the paper we ignore this possibility, and focus on pure strategy equilibria. See subsection 5.2 for extending the results to the case when the senders use mixed strategies. From now on we, refer to a pure strategy perfect Bayesian equilibrium simply as an *equilibrium*.

3 Existence of fully revealing equilibrium

3.1 General biases

Similarly to the well-known revelation principle in mechanism design, we do not lose generality by concentrating on truthful equilibria when investigating the existence of fully revealing equilibria. This makes our task much easier.

An equilibrium (s_1, s_2, y) is *fully revealing* if $s_1(\theta) = s_1(\theta')$ and $s_2(\theta) = s_2(\theta')$ imply $\theta = \theta'$. In this case, by the definition of conditional probability system, $f(s_1(\theta), s_2(\theta))$ is the point mass on θ . An equilibrium (s_1, s_2, y) is *truthful* if $M_1 = M_2 = \Theta$ and $s_1(\theta) = s_2(\theta) = \theta$ for every $\theta \in \Theta$. A truthful equilibrium is fully revealing. In the next three claims we build heavily on results from Battaglini (2002): Lemma 1 below is essentially the same as Lemma 1 in Battaglini, while Propositions 2 and 3 below are straightforward generalizations of Battaglini's Proposition 1 from one-dimensional line-segment state spaces to arbitrary state spaces in any dimension.

Lemma 1 (Battaglini (2002, Lemma 1)) *For any fully revealing equilibrium, there exists a truthful equilibrium which is outcome-equivalent to the fully revealing equilibrium.*

In cheap talk games, sequential rationality is a weak requirement. In particular, in truthful equilibria, after incompatible reports $\theta \neq \theta'$, belief $f(\theta, \theta')$ can be an arbitrary distribution on Θ . The only restriction is that no sender has a strict incentive not to report the true state, to change the beliefs of the receiver, given that the other sender reports the truth.

Let $B(x, r) = \{y \in \mathbb{R}^d \mid |y - x| < r\}$ be the open ball with center x and radius r . For each sender i , $B(\theta + x_i, |x_i|)$ is the set of policies that are preferred to θ by sender i at state θ .

Proposition 2 *Belief f supports a truthful equilibrium if and only if, for every $\theta, \theta' \in \Theta$,*

$$f(\theta, \theta) \text{ is a point mass on } \theta, \quad (1)$$

$$\mu(\theta, \theta') \notin B(\theta' + x_1, |x_1|), \quad (2)$$

$$\mu(\theta, \theta') \notin B(\theta + x_2, |x_2|). \quad (3)$$

Proof: (2) is the condition for sender 1 not to strictly prefer reporting θ to reporting truthfully when the true state is θ' . (3) is similar to (2). QED




Figure 2

Figure 2 illustrates this graphically: in order to keep incentive compatibility at state θ and θ' , it is necessary that the policy chosen after message pair (θ, θ') be a point that is both outside $B(\theta' + x_1, |x_1|)$ (otherwise, sender 1

would find it profitable to pretend that the state is θ in case the true state is θ') and $B(\theta + x_2, |x_2|)$ (otherwise, sender 2 would find it profitable to pretend that the state is θ' in case the true state is θ).

The above conditions give necessary and sufficient conditions for the existence of fully revealing equilibrium, stated in the next proposition.

Proposition 3 *There exists a fully revealing equilibrium if and only if $B(\theta' + x_1, |x_1|) \cup B(\theta + x_2, |x_2|) \not\supseteq \text{co}(\Theta)$ for all $\theta, \theta' \in \Theta$.*

Proof: By Lemma 1 and Proposition 2, a fully revealing equilibrium exists if and only if there exists $\mu(\theta, \theta')$ satisfying (1)–(3). Since $\mu(\theta, \theta')$ is in the convex hull of Θ , if $B(\theta' + x_1, |x_1|) \cup B(\theta + x_2, |x_2|) \supseteq \text{co}(\Theta)$ for some $\theta, \theta' \in \Theta$ then (2)–(3) cannot hold simultaneously for any $\mu(\theta, \theta')$. Otherwise, for every $\theta \neq \theta' \in \Theta$, let $\mu(\theta, \theta')$ be an arbitrary element of $\text{co}(\Theta) \setminus (B(\theta' + x_1, |x_1|) \cup B(\theta + x_2, |x_2|))$. QED

There cannot be a fully revealing equilibrium whenever there exists a pair (θ, θ') of states such that the open balls $B(\theta' + x_1, |x_1|)$ and $B(\theta + x_2, |x_2|)$ cover the convex hull of the state space. Figure 3 depicts a pair like that. Note that the existence of fully revealing equilibrium depends only on the shape of the state space Θ and the biases x_1, x_2 , not on the prior distribution F .




Figure 3

In the case of biases in the same direction, Proposition 3 implies that a fully revealing equilibrium always exists, independently of the state space. The intuition is that $(B(\theta' + x_1, |x_1|) \cup B(\theta + x_2, |x_2|))$ in this case does not contain at least one of θ and θ' (the one being minimal in the direction of the biases).

Definition: x_1 and x_2 are *in the same direction* if $x_1 = \alpha x_2$ for some $\alpha \geq 0$ or $x_2 = 0$.

Proposition 4 *If x_1 and x_2 are in the same direction, then there exists a fully revealing equilibrium.*

Proof: Let f be the following point belief:

$$\mu(\theta, \theta') = \begin{cases} \theta & \text{if } x_2 \cdot \theta > x_2 \cdot \theta' \\ \theta' & \text{if } x_2 \cdot \theta \leq x_2 \cdot \theta' \end{cases}$$

Then f supports a fully revealing equilibrium. QED

There are two more general consequences of Proposition 3 that we point out. Both of them follow from the proposition in a straightforward manner, therefore we omit the proofs from here. The first one is that the existence of fully revealing equilibrium depends monotonically on the magnitudes of biases: if there exists no fully revealing equilibrium for biases $x_1, x_2 \in \mathbb{R}^d$, then there exists no fully revealing equilibrium for biases $(t_1 x_1, t_2 x_2)$ for any $t_1, t_2 \geq 1$. The other one is that there is a fully revealing equilibrium if the biases are small enough relative to the size of the state space. Formally, if $|x_1| + |x_2| \leq (\sup_{\theta, \theta' \in \Theta} |\theta - \theta'|)/2$, then there exists a fully revealing equilibrium. This in particular implies that there always exists a fully revealing equilibrium if the state space is unbounded.

We close this subsection by showing that the nonexistence part of Proposition 3 can be strengthened, in the sense that if there is no fully revealing equilibrium then there is an open set of states such that the implemented policy at these states is bounded away from the optimal policy of the receiver.

Proposition 5 *There exists no fully revealing equilibrium if and only if there exist $\varepsilon > 0$ and open sets U and U' satisfying $U \cap \Theta \neq \emptyset$ and $U' \cap \Theta \neq \emptyset$ such that, for any equilibrium (s_1, s_2, μ) , either $|\mu(s_1(\theta), s_2(\theta)) - \theta| > \varepsilon$ for all $\theta \in U$ or $|\mu(s_1(\theta'), s_2(\theta')) - \theta'| > \varepsilon$ for all $\theta' \in U'$.*

Proof: The if part is trivial. For the only if part, suppose that there exists no fully revealing equilibrium. Then Θ is bounded, and there exist $\tilde{\theta}, \tilde{\theta}' \in \Theta$ such that

$$B(\tilde{\theta}' + x_1, |x_1|) \cup B(\tilde{\theta} + x_2, |x_2|) \supseteq \text{co}(\Theta)$$

Then there exist $\varepsilon > 0$ and neighborhoods U of $\tilde{\theta}$ and U' of $\tilde{\theta}'$ such that

$$B(\theta' + x_1, |x_1| - \varepsilon) \cup B(\theta + x_2, |x_2| - \varepsilon) \supseteq \text{co}(\Theta)$$

for any $\theta \in U$ and $\theta' \in U'$.

For any equilibrium (s_1, s_2, μ) and any $\theta \in U$, $\theta' \in U'$, we must have either $|\mu(s_1(\theta), s_2(\theta)) - \theta| > \varepsilon$ or $|\mu(s_1(\theta'), s_2(\theta')) - \theta'| > \varepsilon$ because otherwise we have $B(\theta' + x_1, |\theta' + x_1 - \mu(s_1(\theta'), s_2(\theta'))|) \cup B(\theta + x_2, |\theta + x_2 - \mu(s_1(\theta), s_2(\theta))|) \supseteq \text{co}(\Theta)$, where the first ball is the set of policies sender 1 strictly prefers to $\mu(s_1(\theta'), s_2(\theta'))$ at state θ' , and the second ball is the set of policies sender 2 strictly prefers to $\mu(s_1(\theta), s_2(\theta))$ at state θ . Therefore, similarly to Proposition 3, no matter what $\mu(s_1(\theta), s_2(\theta'))$ is, either sender 1 wants to report θ at state θ' or sender 2 wants to report θ' at state θ , which contradicts the equilibrium condition.

Therefore, if $|\mu(s_1(\theta), s_2(\theta)) - \theta| \leq \varepsilon$ for some $\theta \in U$, then $|\mu(s_1(\theta'), s_2(\theta')) - \theta'| > \varepsilon$ for all $\theta' \in U'$. Otherwise, $|\mu(s_1(\theta), s_2(\theta)) - \theta| \leq \varepsilon$ for all $\theta \in U$. QED

The proof establishes that if there is no fully revealing equilibrium, then there exist two open balls and a positive constant such that if in an equilibrium the implemented policy for at least one state in one ball is closer than ε to the state itself, then at every state in the other ball, the difference between the implemented policy and the state is at least as much as this constant. Note that the balls are defined independently of the equilibrium at hand; hence the above property applies to all equilibria. This is worth pointing out because typically there are many different types of equilibria, and it is hard to find nontrivial properties that hold for every equilibrium.

3.2 Examples

Our primary goal is to characterize conditions for full information revelation for large biases. Before providing the general result, it is useful to look at

some concrete examples to develop intuition on how the possibility of full revelation depends on the shape of the state space and the directions and magnitudes of biases.

We analyze closed balls and hypercubes. In the next subsection, closed balls will be generalized to compact spaces with smooth boundaries and hypercubes to compact spaces with kinks.

Let D^d be the d -dimensional unit closed ball $\{\theta \in \mathbb{R}^d \mid |\theta| \leq 1\}$.

Proposition 6 *Suppose $\Theta = D^d$ with $d \geq 2$. There exists a fully revealing equilibrium if and only if x_1 and x_2 are in the same direction or $\max(|x_1|, |x_2|) \leq 1$.*

Proof: If part: By Proposition 4, we can assume that $\max(|x_1|, |x_2|) \leq 1$. For any given (θ, θ') , since $d \geq 2$, there exists a unit vector v perpendicular to $\theta' + x_1$. Let $w = -v$. We have $v, w \in D^d$. Since $|x_1| \leq 1$, (2) is satisfied both by $\mu(\theta, \theta') = v$ and by $\mu(\theta, \theta') = w$. Since $|v - w| = 2$ and $|x_2| \leq 1$, either v or w satisfies (3).

Only-if part: Suppose that x_1 and x_2 are in different directions and that $\max(|x_1|, |x_2|) > 1$. Without loss of generality, we can assume $|x_1| > 1$. By rotating the state space, we also have $x_1 = (-a, 0, \dots, 0)$ with $a > 1$ without loss of generality. Substituting $\theta' = e := (1, 0, \dots, 0)$ into (2), we have $|\mu(\theta, e) - (e + x_1)| \geq a$. By the triangle inequality, $\mu(\theta, e) \in D^d$, and $|e + x_1| = a - 1$, we have

$$a \leq |\mu(\theta, e) - (e + x_1)| \leq |\mu(\theta, e)| + |e + x_1| \leq 1 + (a - 1) = a.$$

Therefore, all the inequalities above hold with equality. Because $|\mu(\theta, e)| = 1$, and $\mu(\theta, e)$ and $-(e + x_1)$ are in the same direction, we have $\mu(\theta, e) = e$.

However, this violates (3) when θ is chosen appropriately. Again, without loss of generality, we have $x_2 = (b, c, 0, \dots, 0)$ with $c \neq 0$, or $b > 0$ and $c = 0$.

For $c > 0$, we choose $\theta = (\sqrt{1 - \varepsilon^2}, -\varepsilon, 0, \dots, 0)$ for small $\varepsilon > 0$. For $c < 0$, we choose $\theta = (\sqrt{1 - \varepsilon^2}, \varepsilon, 0, \dots, 0)$ for small $\varepsilon > 0$. For $b > 0$ and $c = 0$, we choose $\theta = (1 - \varepsilon, 0, \dots, 0)$ for small $\varepsilon > 0$. In each case, we have $e \in B(\theta + x_2, |x_2|)$, which violates (3). QED

Therefore, when Θ is a closed ball, as long as x_1 and x_2 are in different directions, whether a fully revealing equilibrium exists or not is determined by how large biases are. If the biases are small enough, then we can construct a fully revealing equilibrium. If at least one of the biases is large enough, though, then there is no such equilibrium.

Consider next $[0, 1]^d$, the unit hypercube in d dimensions. We say that x_1 and x_2 are *in the same orthant* if $x_1^j x_2^j \geq 0$ for every $j \in \{1, \dots, d\}$.

Proposition 7 *Suppose $\Theta = [0, 1]^d$.*

1. *If x_1 and x_2 are in the same orthant, then there exists a fully revealing equilibrium.*
2. *If x_1 and x_2 are in different orthants and $\max_{i \in \{1, 2\}} \min_{j \in \{1, \dots, d\}} |x_i^j| > 1/2$, then there does not exist a fully revealing equilibrium.*

Proof: For the first claim, without loss of generality, we can assume that $x_i^j \geq 0$ for all $i \in \{1, 2\}$ and $j \in \{1, \dots, d\}$. Let $\mu(\theta, \theta') = (0, \dots, 0)$ for any $\theta \neq \theta'$. Then (1)–(3) are satisfied.

For the second claim, without loss of generality, we can assume that $x_1^j > 1/2 \forall j \in \{1, \dots, d\}$, and $x_2^1 < 0$. Then, when $\theta' = (0, \dots, 0)$ in (2), we have $\mu(\theta, (0, \dots, 0)) = (0, \dots, 0)$ for any $\theta \in [0, 1]^d$. However, this violates (3) when $\theta = (\varepsilon, \dots, 0)$ for $0 < \varepsilon < \min(-2x_2^1, 1)$. QED




Figure 4

The second part of the proposition establishes that if one of the biases x_i is large enough such that there is a state θ such that $B(\theta + x_i, |x_i|)$ covers the whole hypercube with the exception of θ , then no matter how small the other bias x_{-i} is, as long as it is in a different orthant, there is a state θ' such that $B(\theta' + x_{-i}, |x_{-i}|)$ covers θ (see Figure 4 for illustration).

For biases that are in different orthants, the qualitative conditions for the existence of fully revealing equilibrium are similar to the case when the state space is a d -dimensional unit closed ball. However, for the case of biases from the same orthant, the qualitative conclusion is different. Note that the proof—that, in this case, independent of the magnitudes of biases, there always exists a fully revealing equilibrium—uses the fact that for these biases, there is a point in the state space that is minimal among points of the state

space in both directions of biases. This point can serve as a punishment after any incompatible messages, which deters both senders from not revealing the true state.

3.3 Large biases

A qualitative conclusion from Crawford and Sobel (1982) is that the amount of information that can be transmitted in equilibrium decreases when the sender's preferences diverge from the receiver's. In particular, if the sender's bias is sufficiently large, then no information transmission is possible in equilibrium. Krishna and Morgan (2001a) show that a similar insight holds for two-sender cheap talk games with one-dimensional state spaces, in the sense that the existence of fully revealing equilibrium depends on the magnitudes of biases. However, Battaglini (2002) shows that if the state space is a multi-dimensional Euclidian space, then generically there exists a fully revealing equilibrium, no matter how large the biases are. We analyze the case of large biases to revisit the above question. Furthermore, large biases are relevant in certain applications. For example, distributive theories of committee formation in political science predict that specialized committees of a decision making body consist of preference outliers.⁴ In general, experts who have specialized knowledge are for many reasons (self-selection in the decision to become an expert, personal financial interests) likely to care in a strongly biased way about policy decisions affecting their fields of expertise.

In our model, if a sender has a large bias, then his or her indifference curves over a bounded policy space are close to hyperplanes orthogonal to the direction of the bias.⁵ A natural interpretation of this is that as the bias of a

⁴See for example Krishna and Morgan (2001b), p. 448.

⁵This observation, which plays a key role in the results below, was first pointed out by Levy and Razin (2007).

sender becomes larger, the sender cares more about the direction of conflict with the receiver, and less about directions in which they share common interest. For different ways to interpret large biases, see the discussion at the end of this subsection. The formal statements of this subsection are limit results on the existence of fully revealing equilibrium as the magnitudes of biases go to infinity (as the preferences of senders approach lexicographic preferences). However, because of the result that the possibility of fully revealing equilibrium is monotonic in the size of biases, the results below apply for all large enough biases.⁶

The next proposition shows that, if the state space is compact, then Proposition 3 for large biases is equivalent to whether the state space can be covered by the union of two open half spaces with boundaries that are orthogonal to the directions of biases.

Let S^{d-1} denote the $(d-1)$ -dimensional unit sphere $\{x \in \mathbb{R}^d \mid |x| = 1\}$. S^{d-1} represents the set of possible directions in \mathbb{R}^d . For any $\lambda \in S^{d-1}$ and $k \in \mathbb{R}$, let $H^\circ(\lambda, k) = \{x \in \mathbb{R}^d \mid \lambda \cdot x > k\}$. $H^\circ(\lambda, \lambda \cdot x)$ is the open half space orthogonal to λ whose boundary goes through x .

Proposition 8 *Fix a compact state space Θ and the directions of biases $z_1, z_2 \in S^{d-1}$. There exists a fully revealing equilibrium with biases $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ for every $t_1, t_2 \in \mathbb{R}_+$ if and only if $H^\circ(z_1, z_1 \cdot \theta') \cup H^\circ(z_2, z_2 \cdot \theta) \not\supseteq \text{co}(\Theta)$ for all $\theta, \theta' \in \Theta$.*

Proof: If part: The claim follows from Proposition 3 because $H^\circ(z_1, z_1 \cdot \theta') \cup H^\circ(z_2, z_2 \cdot \theta) \supseteq B(\theta' + t_1 z_1, t_1) \cup B(\theta + t_2 z_2, t_2)$ for every $t_1, t_2 \in \mathbb{R}_+$.

Only-if part: Suppose that $H^\circ(z_1, z_1 \cdot \theta') \cup H^\circ(z_2, z_2 \cdot \theta) \supseteq \text{co}(\Theta)$ for some $\theta, \theta' \in \Theta$. Then, since $\text{co}(\Theta)$ is compact, there exists $\varepsilon > 0$ such that

⁶The concrete meaning of large enough depends on the state space and the directions of biases. See the examples in Subsection 3.2 for explicit derivations of threshold magnitudes.

$H^\circ(z_1, z_1 \cdot \theta' + \varepsilon) \cup H^\circ(z_2, z_2 \cdot \theta + \varepsilon) \supseteq \text{co}(\Theta)$. Since $\text{co}(\Theta)$ is bounded, we have $B(\theta' + t_1 z_1, t_1) \cap \text{co}(\Theta) \supseteq H^\circ(z_1, z_1 \cdot \theta' + \varepsilon) \cap \text{co}(\Theta)$ and $B(\theta + t_2 z_2, t_2) \cap \text{co}(\Theta) \supseteq H^\circ(z_2, z_2 \cdot \theta + \varepsilon) \cap \text{co}(\Theta)$ for sufficiently large t_1 and t_2 . Hence the claim follows from Proposition 3. QED

Consider a compact state space Θ . For any $\lambda \in S^{d-1}$, define $k^*(\lambda, \Theta) = \min_{\theta \in \Theta} \lambda \cdot \theta$ and let $H^*(\lambda, \Theta) = \{x \in \mathbb{R}^d \mid \lambda \cdot x \geq k^*(\lambda, \Theta)\}$. Note that the compactness of Θ implies that $k^*(\lambda, \Theta)$ and therefore $H^*(\lambda, \Theta)$ are well-defined. $H^*(\lambda, \Theta)$ is the minimal half space that is orthogonal to λ and contains Θ . Let $h^*(\lambda, \Theta)$ denote the boundary of $H^*(\lambda, \Theta)$: $h^*(\lambda, \Theta) = \{x \in \mathbb{R}^d \mid \lambda \cdot x = k^*(\lambda, \Theta)\}$ is the supporting hyperplane to Θ in the direction of λ .

For every $\theta \in \Theta$, let $N_\Theta(\theta) = \{\lambda \in \mathbb{R}^d \mid \lambda \cdot (\theta' - \theta) \leq 0 \ \forall \theta' \in \Theta\}$. $N_\Theta(\theta)$ is the set of normal cones to Θ at point θ . Then z_1 and z_2 are *similar with respect to* Θ if there exists $\theta \in \Theta$ such that $-z_1, -z_2 \in N_\Theta(\theta)$.

Proposition 9 *Fix a compact state space Θ and the directions of biases $z_1, z_2 \in S^{d-1}$. The following conditions are equivalent:*

1. *There exists a fully revealing equilibrium with biases $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ for every $t_1, t_2 \in \mathbb{R}_+$.*
2. $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \Theta \neq \emptyset$.
3. $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \text{co}(\Theta) \neq \emptyset$.
4. z_1 and z_2 are similar with respect to Θ .

Proof: 1 \Rightarrow 2: If not, then we have

$$H^*(z_1, \Theta) \cap H^*(z_2, \Theta) \setminus (h^*(z_1, \Theta) \cap h^*(z_2, \Theta)) \supseteq \Theta.$$

Since the left-hand side of this formula is a convex subset of $H^\circ(z_1, k^*(z_1, \Theta)) \cup H^\circ(z_2, k^*(z_2, \Theta))$, we have

$$H^\circ(z_1, k^*(z_1, \Theta)) \cup H^\circ(z_2, k^*(z_2, \Theta)) \supseteq \text{co}(\Theta),$$

which contradicts Proposition 8.

2 \Rightarrow 3: Trivial.

3 \Rightarrow 1: Pick any $\tilde{\theta} \in h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \text{co}(\Theta)$. Then the claim follows from Proposition 8 because $\tilde{\theta} \notin H^\circ(z_i, z_i \cdot \theta)$ for any $i \in \{1, 2\}$ and any $\theta \in \Theta$.

2 \Leftrightarrow 4: Straightforward from the definition of $N_\Theta(\theta)$. QED

This proposition makes it easy to check whether for an arbitrary pair of bias directions full revelation is possible in the limit. If the intersection of the supporting hyperplanes to the state space in the given directions contains a point of the state space, then the answer is no; otherwise, it is yes (like in Figure 5 below, where the intersection of the hyperplanes is a single point, outside the state space). This intersection is a lower dimensional hyperplane, and if it contains a point of the state space and $z_1 \neq z_2$, then that point has to be a kink of the state space. For example, in two dimensions, if $z_1 \neq z_2$ and $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \Theta \neq \emptyset$, then $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \Theta$ is a single point, which is such that there are supporting hyperplanes to Θ both in the direction of z_1 and in the direction of z_2 . For a concrete example, recall the example of the d -dimensional cube with edges parallel to the axis from the previous subsection and consider $d = 2$. We saw that full revelation in equilibrium is possible even in the limit if biases go to infinity if and only if the directions of biases are in the same quadrant. Note that for each of these direction pairs, there is a vertex of the square such that there are two lines orthogonal to the biases that are tangential to the square and go through the vertex.




Figure 5

An immediate consequence of Proposition 9 is that for opposite biases ($z_1 = -z_2$), full revelation is possible in the limit if and only if Θ is included in a lower dimensional hyperspace that is orthogonal to the direction of biases. To see this, note that in any other case, $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) = \emptyset$; therefore, $h^*(z_1, \Theta) \cap h^*(z_2, \Theta) \cap \Theta = \emptyset$.

A compact state space Θ has the convex hull with a *smooth boundary* if $\lambda, \lambda' \in N_{\Theta}(\theta) \cap S^{d-1}$ implies $\lambda = \lambda'$ for any $\theta \in \Theta$. The d -dimensional ball has a smooth boundary, whereas the d -dimensional cube does not. A simple corollary of Proposition 9 is that if the convex hull of Θ has a smooth boundary and $z_1, z_2 \in S^{d-1}$ then there exists a fully revealing equilibrium with biases $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ for every $t_1, t_2 \in \mathbb{R}_+$ if and only if $z_1 = z_2$.

We also can show from Proposition 9 that we can assume the state space to be convex without loss of generality when we discuss the possibility of

full revelation for large biases. This follows because the third condition in Proposition 9 depends only on $\text{co}(\Theta)$.

Our results imply that the same general result applies for state spaces in any dimension, including one: if the state space is compact, then for biases in similar directions, full revelation of information is possible for any magnitudes of biases; for biases that are not in similar directions, the magnitudes of biases matter: full revelation of information is possible for small biases, but not possible for large enough biases. In one dimension, there are only two types of direction pairs: the same direction and opposite directions. The former directions are always similar while the latter directions are always nonsimilar as long as the state space is not a singleton. In more than one dimension, the similarity relation depends on the shape of the state space. For state spaces with smooth boundaries, nonsimilar directions are generic, while for other state spaces, neither similar nor nonsimilar direction pairs are generic. In any case, for a two-sender cheap talk model with a compact state space, one can get the same qualitative conclusions with respect to the possibility of fully revealing equilibrium if using a one-dimensional model (which is typically much easier to analyze) and if using a multidimensional model. There are two caveats, though. The first is that if one considers the one-dimensional model as a simplification of a more realistic multidimensional model, and similar biases are unlikely in that multidimensional model, then the one-dimensional analysis should put more emphasis on the case of opposite biases than on the case of like biases. The second, and more problematic one is that the above conclusion is based on the existence of fully revealing perfect Bayesian equilibria. Cheap talk models typically have severe multiplicity of equilibria, some of which are supported by implausible out-of-equilibrium beliefs by the receiver. This does not affect the validity of our results concerning conditions for nonexistence of fully revealing equilibrium, since if there is no fully revealing perfect Bayesian equilibrium in the game, then there is also no fully revealing profile that is a refinement

of perfect Bayesian Nash equilibrium. The possibility of implausible out-of-equilibrium beliefs does become a concern though for results that establish the existence of fully revealing perfect Bayesian equilibrium. This is the main motivation for the analysis in the next section.

We conclude this section by briefly discussing alternative ways to model large biases, since, in a compact state space, there is no obvious way to define preferences for extremely biased senders. When biases get large, besides the property that indifference curves converge to hyperplanes, our model has two further qualitative implications. One is that for large enough biases, a sender’s optimal points are always on the boundary of the state space. The other one is that in a strictly convex state space, a sender’s optimal points converge to the same point at the boundary as the magnitude of bias goes to infinity, no matter what the true state is.⁷ These properties correspond well to the way we intuitively think about “large” or “extreme” biases. One way to generalize our model would be to keep the latter two properties, but drop the assumption that the indifference curves converge to hyperplanes as biases grow larger. In this case, the half spaces $h^*(z_1, \Theta)$ and $h^*(z_2, \Theta)$ in Proposition 9 would need to be replaced with the limit upper contour sets in the alternative model.

4 Robust equilibria

In cheap talk games, perfect Bayesian equilibrium (PBE) does not impose any restriction on out-of-equilibrium beliefs of the receiver. Given this great flexibility in specifying out-of-equilibrium beliefs—which is made transparent in Proposition 2—the question arises which equilibria can be supported by “plausible” beliefs. This point is made by Battaglini (2002): when analyzing one-dimensional (bounded) state spaces, the paper focuses on equilibria

⁷We thank an anonymous referee for pointing this out.

which are supported by out-of-equilibrium beliefs satisfying a robustness criterion. The issue does not arise in the multi-dimensional analysis of the paper, since the construction that Battaglini gives implies that there are no out-of-equilibrium message pairs when the state space is the whole Euclidean space. However, for restricted state spaces, out-of-equilibrium beliefs become relevant, in multidimensional environments, too.

An extensive investigation of robustness of PBE, and related to this investigating PBE in models with noisy state observation, is a difficult exercise for general state spaces and is beyond the scope of this paper.⁸ Instead, here we focus on equilibria that satisfy a particular continuity property. The property is motivated by requiring robustness to small mistakes in senders' observations, and it is satisfied by the construction provided by Battaglini (2002, 2004) for unrestricted state spaces. We also show that a strong definition of consistency of equilibrium beliefs implies this property. We then establish that imposing this property strengthens our nonexistence results for fully revealing equilibrium considerably for some state spaces. On the other hand, we show that under mild conditions, there exist informative equilibria that satisfy the continuity property, no matter how large the biases are.

4.1 Diagonal continuity

The equilibrium construction provided in Battaglini (2002, 2004) satisfies the property that the policy implemented by the receiver is continuous in the observations of the senders. In what follows, we investigate a requirement that is weaker than this, in that it only requires continuity at points where the observations of senders are the same.

Definition: An equilibrium (s_1, s_2, y) is called *continuous on the diagonal* if $\lim_{n \rightarrow \infty} y(s_1(\theta_1^n), s_2(\theta_2^n)) = y(s_1(\theta), s_2(\theta))$ for any sequence $\{(\theta_1^n, \theta_2^n)\}_{n \in \mathbb{N}}$ of

⁸See the analysis of Battaglini (2004) for the case of unrestricted multidimensional state spaces with the improper uniform prior.

pairs of states such that $\lim_{n \rightarrow \infty} \theta_1^n = \lim_{n \rightarrow \infty} \theta_2^n = \theta$.

Our motivation for investigating equilibria that satisfy this property comes from multiple sources. One is that we are interested in whether, in a restricted state space, there exist fully revealing equilibria that can be obtained by some continuous transformation of the Battaglini construction.⁹

Second, this property is equivalent to robustness to *all* small misspecifications of the model. More precisely, suppose that signals that two senders receive are slightly different from the true state in reality, although all players (incorrectly) believe that both senders know the true state, they believe that other players believe that both senders know the true state, and so on. In such a situation, if the equilibrium is continuous on the diagonal, then the *ex post* loss for the receiver that arises from false beliefs is small for any realization of the true state when both senders receive signals close enough to the true state.

Third, as the next proposition shows, diagonal continuity is necessary for nonexistence of incompatible reports. The latter is a convenient property in settings where it is unclear how to specify out-of-equilibrium beliefs.¹⁰

Proposition 10 *For compact Θ , a fully revealing equilibrium (s_1, s_2, y) is continuous on the diagonal if*

1. *for each sender i , M_i is Hausdorff and $s_i: \Theta \rightarrow M_i$ is continuous, and*
2. *for each $(m_1, m_2) \in s_1(\Theta) \times s_2(\Theta)$, there exists a state $\theta \in \Theta$ such that $(s_1(\theta), s_2(\theta)) = (m_1, m_2)$.*

⁹We regard this question interesting because Battaglini's equilibrium construction is simple and intuitive. A continuous transformation of the equilibrium preserves its basic attractive features, in the sense that the senders still report along different "dimensions" in a generalized sense.

¹⁰For example, Battaglini's (2002) equilibrium does not have incompatible reports if the state space is a whole Euclidean space.

Proof: Consider function g on Θ that maps θ to $(s_1(\theta), s_2(\theta))$. By the assumptions, g is a continuous function onto $s_1(\Theta) \times s_2(\Theta)$. g is also one-to-one because (s_1, s_2, y) is fully revealing. Since g is a continuous bijection from compact space Θ to Hausdorff space $M_1 \times M_2$, the inverse $\mu(m_1, m_2)$ is a continuous function of $(m_1, m_2) \in s_1(\Theta) \times s_2(\Theta)$.¹¹ Since s_1 and s_2 are continuous, $\mu(s_1(\theta_1), s_2(\theta_2))$ is also continuous in (θ_1, θ_2) . QED

The last motivation comes from consistency of beliefs, i.e., that beliefs should be limits of beliefs obtained from noisy models as the noise in senders' observations goes to zero. In Appendix A, we show that if we restrict attention to equilibria in which players' strategies satisfy some regularity conditions, then every PBE that satisfies consistency of beliefs has to satisfy diagonal continuity. The regularity conditions we impose are fairly strong, but they are needed to ensure that the conditional beliefs of the receiver in "nearby" noisy models (which are invoked in the definition of consistent beliefs) are well-defined by Bayes' rule.

4.2 Nonexistence of diagonally continuous fully revealing equilibria

Below we show that requiring diagonal continuity can drastically reduce the possibility of full revelation in equilibrium. First we consider two-dimensional smooth compact sets. Recall the result that if biases are small enough (positive), then there always exists a fully revealing equilibrium. As opposed to this, the next proposition shows that unless biases are exactly in the same direction, no matter how small they are, there does not exist a fully revealing diagonally continuous equilibrium.¹²

¹¹See Royden (1988), Proposition 5 of Chapter 9.

¹²As for the case of opposite biases, it is easy to see that the equilibrium constructed in Proposition 4 is diagonally continuous, since $\mu(\theta, \theta')$ is either θ or θ' .

Proposition 11 *In a two-dimensional smooth compact set Θ , if (x_1, x_2) are not in the same direction, then there does not exist a diagonally continuous fully revealing equilibrium.*

Proof: Since Θ is a two-dimensional smooth set and (x_1, x_2) is not in the same direction, there exists $\theta \in \Theta$ such that θ is separated from other points in $\text{co}(\Theta) \setminus (B(\theta + x_1, |x_1|) \cup B(\theta + x_2, |x_2|))$. Since $y(\theta, \theta')$ is continuous with respect to θ' at $\theta' = \theta$, when we change θ' slightly, $y(\theta, \theta')$ has to move continuously. However, we can change θ' appropriately so that we can cover by $B(\theta' + x_1, |x_1|) \cup B(\theta' + x_2, |x_2|)$ the region close enough to θ . This leads to a contradiction. QED

Figure 6 illustrates the argument used in the proof: if biases are not in the same direction, then there are states θ and θ' arbitrarily close to each other (close to the boundary of the state space) such that the balls $B(\theta' + x_1, |x_1|)$ and $B(\theta' + x_2, |x_2|)$ cover an open set that includes both θ and θ' . This means that in order for incentive compatibility to be satisfied for the senders, the policy implemented by the receiver after receiving messages corresponding to θ and θ' has to be “far away” from both θ and θ' . This implies that the equilibrium does not satisfy diagonal continuity in these points.¹³

A similar nonexistence result holds for models in which the state space is the unit d -dimensional cube (note the difference to the result in Proposition 7).

Proposition 12 *Suppose $\Theta = [0, 1]^d$. There exists no diagonally continuous fully revealing equilibrium if $x_1^j > 0$ for all $j \in \{1, \dots, d\}$ and $x_2^k < 0$ for some $k \in \{1, \dots, d\}$.*

¹³This argument implicitly assumes, by evoking Lemma 1, that the fully revealing equilibrium is truthful. This is without loss of generality, though: from the definition it follows that if a fully revealing equilibrium satisfies diagonal continuity, the outcome-equivalent truthful equilibrium also satisfies diagonal continuity.

Proof: When $\theta = \theta' = (0, \dots, 0)$, $(0, \dots, 0)$ is separated from other points in $\Theta \setminus (B(x_1, |x_1|) \cup B(x_2, |x_2|))$. Then, similarly to the proof of Proposition 11, we can change θ from $(0, \dots, 0)$ toward the positive direction of the k -th coordinate so that we can cover by $B(x_1, |x_1|) \cup B(\theta + x_2, |x_2|)$ a neighborhood of $(0, \dots, 0)$. This leads to a contradiction. QED




Figure 6: nonexistence of diagonally continuous fully revealing equilibria

4.3 Existence of diagonally continuous informative equilibria

Here we establish that if the prior distribution is continuous and the expected value of the state space is an interior point of the state space (which holds,

for example, if Θ is convex and full dimensional), and biases are not in exactly opposite directions, then information transmission in the most informative equilibrium is bounded away from zero.¹⁴

Proposition 13 *Assume F is continuous. If $E(\theta)$ is an interior point of Θ and $z_1, z_2 \in S^{d-1}$ are not opposite directions, then there is an open set $C \subseteq \Theta$ such that for any $t_1, t_2 \in \mathbb{R}_+$, there is an equilibrium with biases $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ which is diagonally continuous, and which is such that $y(s_1(\theta), s_2(\theta)) = \theta$ for all $\theta \in C$.*

Proof: We assume that $d \geq 2$, the prior mean $E(\theta)$ is in the interior of Θ , and the prior distribution F has density f that is bounded away from 0 in a neighborhood of the prior mean. [The notation f is used for another object. We must change the notation.] We further assume that x_1 and x_2 are not in the opposite directions. By rotating and shifting the state space, we can assume $E(\theta) = 0$, $x_1^1 > 0$, and $x_2^1 > 0$ without loss of generality.

Given positive small numbers a and b , we define the following region for each $t \in [0, 1]$:

$$D(t) = \{\theta \in \mathbb{R}^d \mid \underline{\theta}^j(t) \leq \theta^j \leq \bar{\theta}^1(t) \text{ for } j \neq d, \underline{\theta}^d(\theta^{-d}, t) \leq \theta^d \leq \bar{\theta}^d(\theta^{-d}, t)\},$$

where $\underline{\theta}^1(t) = a - 2bt/3$, $\bar{\theta}^1(t) = a + bt/3$, and $-\underline{\theta}^j(t) = \bar{\theta}^j(t) = bt/2$ for each $j \neq 1, d$, and, for each θ^{-d} , $\underline{\theta}^d(\theta^{-d}, t)$ and $\bar{\theta}^d(\theta^{-d}, t)$ are such that

$$\int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} f(\theta) d\theta^d = bt, \quad \int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} \theta^d f(\theta) d\theta^d = 0.$$

Note that, if a and b are small enough, then $D(1) \subseteq \Theta$ and, for each $t \in [0, 1]$ and each θ^1 sufficiently close to 0, $\underline{\theta}^d(\theta^{-d}, t)$ and $\bar{\theta}^d(\theta^{-d}, t)$ exist uniquely.

¹⁴Note that the claim is about the most informative equilibrium. As is well-known in the literature, there is always a babbling equilibrium in which no information is transmitted.

Since $\underline{\theta}^d(\theta^{-d}, t)$ and $\bar{\theta}^d(\theta^{-d}, t)$ depend on θ^{-d} continuously, $D(t)$ is a closed set. Let $\partial D(t)$ denote the boundary of $D(t)$ and $D^{-d}(t) = \prod_{j \neq d} [\underline{\theta}^j(t), \bar{\theta}^j(t)]$.

Next, we compute $E(\theta | \theta \in \partial D(t))$ for $t \in [0, 1)$, which is equal to the limit

$$\lim_{t' \searrow t} E(\theta | \theta \in D(t') \setminus D(t)) = \lim_{t' \searrow t} \frac{E(\theta : D(t')) - E(\theta : D(t))}{P(D(t')) - P(D(t))}$$

for almost every $t \in [0, 1)$, where $E(X : A) = P(A)E(X|A)$.¹⁵ For every $j \neq 1, d$, we have

$$\begin{aligned} E(\theta^j : D(t)) &= \int_{D(t)} \theta^j f(\theta) d\theta \\ &= \int_{D^{-d}(t)} \theta^j \int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} f(\theta) d\theta^d d\theta^{-d} \\ &= \int_{D^{-d}(t)} \theta^j b t d\theta^{-d} = 0 \end{aligned}$$

and

$$\begin{aligned} E(\theta^d : D(t)) &= \int_{D(t)} \theta^d f(\theta) d\theta \\ &= \int_{D^{-d}(t)} \int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} \theta^d f(\theta) d\theta^d d\theta^{-d} = 0, \end{aligned}$$

¹⁵Since $\partial D(t)$ has Lebesgue measure 0 on \mathbb{R}^d , $E(\theta | \theta \in \partial D(t))$ is uniquely determined only up to a null set of t .

thus $E(\theta^j | \theta \in \partial D(t)) = 0$ for every $j \neq 1$ and almost every $t \in [0, 1)$. For the first component, we have

$$\begin{aligned}
E(\theta^1 : D(t)) &= \int_{D(t)} \theta^1 f(\theta) d\theta \\
&= \int_{D^{-d}(t)} \theta^1 \int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} f(\theta) d\theta^d d\theta^{-d} \\
&= \int_{D^{-d}(t)} \theta^1 b t d\theta^{-d} = \left(a - \frac{1}{6} b t \right) \times (b t)^d \\
P(D(t)) &= \int_{D(t)} f(\theta) d\theta \\
&= \int_{D^{-d}(t)} \int_{\underline{\theta}^d(\theta^{-d}, t)}^{\bar{\theta}^d(\theta^{-d}, t)} f(\theta) d\theta^d d\theta^{-d} \\
&= \int_{D^{-d}(t)} b t d\theta^{-d} = (b t)^d.
\end{aligned}$$

Thus we have

$$\lim_{t' \searrow t} \frac{E(\theta : D(t')) - E(\theta : D(t))}{P(D(t')) - P(D(t))} = \frac{\frac{d}{dt} E(\theta^1 : D(t))}{\frac{d}{dt} P(D(t))} = a - \frac{d+1}{6d} b t.$$

Here we define

$$m(t) = \left(a - \frac{d+1}{6d} b t, 0, \dots, 0 \right)$$

for every $t \in [0, 1]$. Note that $m^1(t)$ is decreasing in t .

Since $E(\theta) = (0, \dots, 0)$, we have

$$\begin{aligned}
E(\theta | \theta \notin D(1)) &= \frac{E(\theta) - E(\theta : D(1))}{1 - P(D(1))} \\
&= \left(-\frac{b^d}{1 - b^d} \left(a - \frac{1}{6} b \right), 0, \dots, 0 \right).
\end{aligned}$$

We choose $a = [(d+1)b - b^{d+1}]/(6d)$ so that $E(\theta | \theta \notin D(1)) = m(1)$.

Since each sender has a bias toward the positive direction in the first component of the state and $m^1(t)$ is decreasing in t , we choose b small enough (hence a is also small) so that, at any state $\theta \in D(1)$, both senders prefer $m(t)$ to $m(t')$ whenever $0 \leq t < t' \leq 1$.

Now we construct the following strategy profile. If the true state θ is outside $D(1)$ or on $\partial D(1)$, each sender sends the message “1.” If the true state θ is in the interior of $D(1)$, each sender sends the message “ t ” such that $\theta \in \partial D(t)$. If two senders send messages t_1 and t_2 , then the receiver chooses policy $m(\max(t_1, t_2))$.

Along the equilibrium path, the receiver is sequentially rational. If the true state θ is on $\partial D(t)$, sender i prefers policy $m^1(t)$ to any other policy $m^1(t')$ with $t' > t$, thus, given that sender $j \neq i$ follows the above strategy, it is optimal for sender i to send message smaller than or equal to t . If the true state θ is outside $D(1)$, then there is no deviation by a single sender that affects the receiver’s action. Thus both senders are sequentially rational along the equilibrium path. Thus the above strategy profile is a perfect Bayesian equilibrium. Also note that this strategy profile is continuous on the diagonal. QED

In the proof, we divide the state space into uncountably many regions such that (i) as θ moves, the region changes continuously, (ii) both senders prefer the conditional mean of regions with smaller parameters. Then we define the following strategy profile: each sender reports the region parameter, and the receiver believes the higher region parameter. Similarly to Proposition 4, this is an equilibrium due to (ii). Diagonal continuity follows from (i).

Note that the equilibrium constructed above for biases (z_1, z_2) remains an equilibrium for biases $(t_1 z_1, t_2 z_2)$, for any $t_1, t_2 \geq 1$. Therefore even in the limit, as the magnitude of biases go to infinity, information revelation can be bounded away from zero. This is in contrast to the one-sender case. Crawford and Sobel (1982) show that there is no informative equilibrium for large

enough biases if the state space is a compact interval. In multidimensional environments, Levy and Razin (2007) provide a condition for the receiver to play at most k actions with positive probability if the magnitude of bias is sufficiently large. If this condition holds with $k = 1$, then there is no informative equilibrium for a large enough bias.¹⁶

As for the case of exactly opposite biases, the previous version of the paper contains the construction of an informative perfect Bayesian equilibrium, which is not necessarily diagonally continuous. We could not come up with a construction of an informative equilibrium which is always diagonally continuous, and we do not know if such equilibrium can always be constructed for opposite biases.¹⁷

5 Discussion and extensions

5.1 Long cheap talk

It is well known that multiple rounds of cheap talk can expand the set of equilibrium payoffs (Aumann and Hart (2003) and Krishna and Morgan (2004)). In our model, there might be a fully revealing equilibrium with multiple rounds of cheap talk, even if there is no such equilibrium with one round of cheap talk.¹⁸ The intuition is that in a game with multiple rounds of cheap

¹⁶It is not true though that informative equilibria never exist for large enough biases. Chakraborty and Harbough (2007) construct an informative equilibrium in symmetric multidimensional environments. They also show that this equilibrium construction is generically robust to small asymmetries of payoff functions and the prior distribution.

¹⁷We do know though that in the limit as the magnitudes of biases go to infinity, all actions taken by the receiver have to be on a lower dimensional hyperplane going through the expectation of the state space, and which is orthogonal to the biases. For the proof of this result, see the previous version of the paper.

¹⁸A related result in Krishna and Morgan (2001a) is that if two senders send messages sequentially, then introducing a second round of cheap talk in some cases improves the possibility of full revelation (Proposition 5). On the other hand, Krishna and Morgan (2004) prove that with one sender all equilibria with multiple rounds of communication

talk even if on the equilibrium path players do not mix in any payoff relevant manner (which is necessary for fully revealing equilibrium), they might do so off the equilibrium path. This means that deviations by the senders can lead to stochastic outcomes, which provides new ways of deterring deviations by senders. Below we show that similar techniques that we used before can be used to derive a necessary condition for the existence of fully revealing equilibrium in a game with multiple rounds of cheap talk.

Let $D = \text{diam}(\Theta)/2$, where $\text{diam}(\Theta) = \sup_{\theta, \theta' \in \Theta} |\theta - \theta'|$. For $i = 1, 2$, let $r_i = \sqrt{\max(0, |x_i|^2 - D^2)}$.

Proposition 14 *In any game with multiple rounds of cheap talk, there exists no fully revealing equilibrium if there exist $\theta, \theta' \in \Theta$ such that $B(\theta' + x_1, r_1) \cup B(\theta + x_2, r_2) \supseteq \text{co}(\Theta)$.*

Proof: In a fully revealing equilibrium, for any pair of states θ and θ' , it has to be true that player 1 at θ' cannot gain by deviating to playing what her strategy would prescribe at state θ , and at θ cannot gain by deviating to playing what her strategy would prescribe at state θ' . Fix any strategy profile which satisfies that at every state the policy outcome is equal to the state. Let $y(\theta, \theta')$ denote the probability distribution of policy outcomes resulting from sender 1 playing the continuation strategy that the above profile prescribes for her after observing θ and from sender 2 playing the continuation strategy that the above profile prescribes for her after observing θ' . Then since the above profile is an equilibrium, we have $-E(y(\theta, \theta') - \theta' - x_1)^2 \leq -|x_1|^2$. Note that $-E(y(\theta, \theta') - \theta' - x_1)^2 = -(Ey(\theta, \theta') - \theta' - x_1)^2 - E|y(\theta, \theta') - Ey(\theta, \theta')|^2$. Since $y(\theta, \theta')$ is a distribution over $\text{co}(\Theta)$, $E|y(\theta, \theta') - Ey(\theta, \theta')|^2 \leq (\text{diam}(\Theta)/2)^2 = D^2$. This means that a necessary condition for the above profile to be an equilibrium is $(Ey(\theta, \theta') - \theta' - |x_1|)^2 > |x_1|^2 - D^2$. A symmetric argument establishes that another necessary condition is

are bounded away from full revelation (Proposition 4).

$(Ey(\theta, \theta') - \theta - |x_2|)^2 \geq |x_2|^2 - D^2$. Combining the two conditions yields $Ey(\theta, \theta') \notin B(\theta' + x_1, r_1) \cup B(\theta + x_2, r_2)$. Therefore, $B(\theta' + x_1, r_1) \cup B(\theta + x_2, r_2) \supseteq \text{co}(\Theta)$ for some $\theta, \theta' \in \Theta$ implies that there does not exist a fully revealing equilibrium. QED

The above result is similar in spirit to Proposition 3: if a sender pretends to have observed a different state than the true state, then the resulting probability distribution over outcomes should yield a lower expected utility for her than revealing the true state. For quadratic utilities, the above expected utility only depends on the expectation and the variance of the resulting distribution. The variance of the distribution is bounded by a constant that depends on the diameter of the state space. This can be used to show that the expected value of the distribution has to be in the two open balls in the statement, $B(\theta' + x_1, r_1)$ and $B(\theta + x_2, r_2)$ (if player 1 played as if she observed θ and player 2 played as if she observed θ').

We conclude this subsection by showing that in a bounded state space, for any fixed direction pair of biases, in the limit as the magnitude of biases go to infinity there exists fully revealing equilibrium in a game with arbitrary rounds of communication if and only if there exists one in a game with only one round of communication. This means that the results of Subsection 3.3 on large enough biases hold for games with arbitrary rounds of communication. The key insight is that the open balls in Proposition 14 converge to the ones in Proposition 3.

Proposition 15 *Fix a compact state space Θ and directions of biases $z_1, z_2 \in S^{d-1}$. If there exists $t^* \in \mathbb{R}_+$ such that for every $t_1, t_2 > t^*$ and bias pair $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ there exists no fully revealing equilibrium in a game with one round of cheap talk, then there exists $t^{**} \in \mathbb{R}_+$ such that for every $t_1, t_2 > t^{**}$ and bias pair $(x_1, x_2) = (t_1 z_1, t_2 z_2)$ there exists no fully revealing equilibrium in a game with arbitrary rounds of cheap talk.*

Proof: Let $r_i(t_i) = \sqrt{\max(0, |x_i|^2 - D^2)}$ for $i = 1, 2$. Note that θ' is not on the boundary of $B(\theta' + tz_1, r_1(t_1))$, but the difference between θ' and $B(\theta' + tz_1, r_1(t_1))$ is $|t_1| - r_1(t_1) = |t_1| - \sqrt{t_1^2 - D^2} = \frac{D^2}{t_1 + \sqrt{t_1^2 - D^2}}$ for large enough t_1 , which goes to 0 as $t_1 \rightarrow \infty$. A symmetric argument shows that $|t_2| - r_2(t_2) \rightarrow 0$ as $t_2 \rightarrow \infty$. Given this, the same arguments as in Proposition 8 establish that for any $\theta, \theta' \in \Theta$, we have $B(\theta' + tz_1, r_1(t_1)) \cup B(\theta + tz_2, r_2(t_2)) \not\subseteq \text{co}(\Theta)$ for all $t_1, t_2 \in \mathbb{R}_+$ if and only if $H^\circ(z_1, z_1 \cdot \theta') \cup H^\circ(z_2, z_2 \cdot \theta) \not\subseteq \text{co}(\Theta)$. The claim then follows from Propositions 8 and 14. QED.

5.2 Mixed strategies in fully revealing equilibrium

As mentioned before, in equilibrium the receiver never uses a nondegenerate mixed strategy. Moreover, in a fully revealing equilibrium, it has to be true that for every $\theta \in \Theta$, for almost all (m_1, m_2) such that $m_1 \in \text{supps}_1(\theta)$ and $m_2 \in \text{supps}_2(\theta)$, $y(m_1, m_2) = \theta$. That is, the outcome of the mixing along the equilibrium path is payoff-irrelevant. Nevertheless, allowing for mixed strategies by the senders can facilitate fully revealing equilibria in cases when there is no fully revealing equilibrium in pure strategies. This is exactly for the same reason that multiple rounds of cheap talk can create new equilibria relative to a single round: namely, deviations might lead to randomness in the action chosen by the receiver, which can be an extra deterrent from deviations, given that senders have concave utility functions. To see this, note that although along the equilibrium path it is payoff irrelevant for a sender what the outcome of the randomization of the other sender is, the same is not necessarily true after deviations.

It is easy to see though that the propositions of the previous subsection hold for the case of single round of cheap talk and mixed strategies by the senders. The condition for fully revealing equilibrium in Proposition 14 remains a necessary condition for fully revealing equilibrium in this setting, and similarly to Proposition 15, it can be shown that if the magnitude of biases

goes to infinity, the set of equilibrium payoffs supported by pure strategies, and the set of equilibrium payoffs supported by mixed strategies converge to the same limit.

6 Conclusion

This paper argues that in a cheap talk model with multiple senders, the amount of information that can be transmitted in equilibrium depends not on the dimensionality of the state space but on finer details of the model specification. These details include the shape of the boundary of the state space and how similar preferences of the senders are, where similarity is defined with respect to the state space. It is worth pointing out that the properties of the state space and sender preferences cannot be investigated independently, once we allow for general (state-dependent) preferences. For example, an open bounded state space with state-independent preferences can be transformed into an unbounded state space with state-dependent preferences in a way that the resulting games are strategically equivalent.

In future work we would like to depart from the assumption that most of the literature, including this paper, makes, in that senders observe the state perfectly. Introducing noise in the senders' information makes the cheap talk model more realistic, and potentially affects the qualitative conclusions of the model. For the latter reason, we think it is an important avenue for future research. It is also a challenging one for general state spaces, since techniques from the existing literature cannot be used, even to investigate the existence of fully revealing equilibrium.

7 Appendix A: Consistency of beliefs and diagonal continuity

In this Appendix, we show that if we restrict attention to strategies that satisfy some regularity conditions, then every equilibrium in which the receivers' beliefs are consistent satisfies diagonal continuity (as defined in Subsection 4.1).

Consider a PBE (s_1, s_2, y) and conditional beliefs f of the sender that support this equilibrium. For any $m_1 \in M_1$ and $m_2 \in M_2$, let $\mu(m_1, m_2)$ denote the expectation of θ according to $f(m_1, m_2)$.

In order to check for consistency of the above beliefs, we need to define models in which the observations of senders are noisy. We will consider a sequence of noisy models indexed by $k = 1, 2, \dots$. In the noisy model indexed by k , senders 1 and 2 observe signals $\theta_1 \in \Theta$ and $\theta_2 \in \Theta$, respectively. For each true state $\theta \in \Theta$, the joint density function of signals (θ_1, θ_2) conditional on θ is given by $g^k(\theta_1, \theta_2|\theta)$. We assume that noise disappears in the limit: $g^k(\theta_1, \theta_2|\theta)$ converges in probability to (θ, θ) as $k \rightarrow \infty$.

An example for the above construction, which is similar in spirit to the one proposed in Battaglini (2004), is when

$$\theta_i = \theta + \varepsilon_k u_i,$$

where (u_1, u_2) is a truncated standard normal distribution on \mathbb{R}^{2d} and $\varepsilon_k \rightarrow 0$ as $k \rightarrow \infty$. Truncation is needed to assure that θ_i belongs to Θ for sure.¹⁹

Fixing the senders' strategies in the sequence of noisy models to be $s_i(\theta_i)$, let $f^k(m_1, m_2)$ denote the posterior belief of the receiver in the model indexed

¹⁹On the other hand, noise structures like the one in Section 3 of Battaglini (2002) are not compatible with our framework because they do not admit a density function $g^k(\theta_1, \theta_2|\theta)$.

by k , given two reports (m_1, m_2) . Let $\mu^k(m_1, m_2)$ be the expectation of θ with respect to $f^k(m_1, m_2)$.

Definition: We say f is *consistent* if $f^k(m_1, m_2)$ weakly converges to $f(m_1, m_2)$ uniformly over $(m_1, m_2) \in s_1(\Theta) \times s_2(\Theta)$, i.e., for any $\varepsilon > 0$ and any continuous and bounded function b on Θ , there exists K such that we have

$$\left| \int b(\theta) f^k(m_1, m_2)(d\theta) - \int b(\theta) f(m_1, m_2)(d\theta) \right| < \varepsilon,$$

for any $(m_1, m_2) \in s_1(\Theta) \times s_2(\Theta)$ and any $k > K$.²⁰

If Θ is bounded, then this definition implies that $\mu^k(m_1, m_2)$ uniformly converges to $\mu(m_1, m_2)$ as $k \rightarrow \infty$.

To show our main result concerning consistent beliefs in the limit model, first we establish a result that applies to beliefs in the noisy models defined above. We show that $\mu^k(m_1, m_2)$ is continuous in (m_1, m_2) for any k . Intuitively speaking, in a noisy model, even if the receiver gets two pairs of messages that are a little different from each other, she does not drastically change her belief about the true state, for the difference between the message pairs does not necessarily mean a drastic difference in the true state, but means a small change in the noise contained in the senders' signals. Once we establish the continuity of μ^k , we show that continuity is inherited to μ in the limit model without noise, which implies diagonal continuity when reporting functions s_i are continuous.

In order to use Bayes' rule for continuous random variables, we impose several restrictions on senders' reporting functions. For each i , the message space M_i is a subset of a Euclidean space \mathbb{R}^{n_i} , and each inverse image of message m_i with respect to s_i , $s_i^{-1}(m_i) = \{\theta_i \in \Theta | s_i(\theta_i) = m_i\}$, is parametrized

²⁰We note that the requirement of uniform convergence is strong. We do not know whether consistency implies diagonal continuity if we use pointwise convergence.

by $t_i \in T_i \subseteq \mathbb{R}^{d-n_i}$. That is to say, there exists a continuously differentiable bijection

$$h_i: M_i \times T_i \rightarrow \Theta$$

such that $m_i = s_i(\theta_i)$ if and only if $\theta_i = h_i(m_i, t_i)$ for some $t_i \in T_i$.²¹

Given (h_1, h_2) , the density function of (m_1, m_2) with respect to the Lebesgue measure on $M_1 \times M_2$ conditional on the true state θ is

$$\int_{T_2} \int_{T_1} g^k(h_1(m_1, t_1), h_2(m_2, t_2)|\theta) |J_1(m_1, t_1) J_2(m_2, t_2)| dt_1 dt_2,$$

where $J_i(m_i, t_i)$ is the Jacobian of h_i at (m_i, t_i) :

$$J_i(m_i, t_i) = \det \frac{\partial h_i(m_i, t_i)}{\partial (m_i, t_i)}.$$

Proposition 16 *Suppose*

1. Θ , T_1 , and T_2 are compact;
2. $g^k(\theta_1, \theta_2|\theta)$ is continuous in (θ_1, θ_2) , $g^k(\theta_1, \theta_2|\theta) > 0$, and bounded;
3. for each sender i , $J_i(m_i, t_i)$ is continuous in m_i , $J_i(m_i, t_i) \neq 0$, and $J_i(m_i, t_i)$ is bounded.

Then the expectation $\mu^k(m_1, m_2)$ of θ conditional on (m_1, m_2) in the k -th noisy model is continuous in (m_1, m_2) .

Proof: $\mu^k(m_1, m_2)$ is given by

$$\frac{E \left[\theta \int_{T_1} \int_{T_2} g^k(h_1(m_1, t_1), h_2(m_2, t_2)|\theta) |J_1(m_1, t_1) J_2(m_2, t_2)| dt_1 dt_2 \right]}{E \left[\int_{T_2} \int_{T_1} g^k(h_1(m_1, t_1), h_2(m_2, t_2)|\theta) |J_1(m_1, t_1) J_2(m_2, t_2)| dt_1 dt_2 \right]}.$$

²¹For example, in Battaglini's (2002) equilibrium construction, h_i is the identity function on \mathbb{R}^d ; M_1 and M_2 are subspaces of \mathbb{R}^d that form a coordinate system: every point in $\theta \in \mathbb{R}^d$ is uniquely expressed by a linear combination of $m_1 \in M_1$ and $m_2 \in M_2$; M_i contains sender j 's bias direction; and $T_i = M_j$. Such a coordinate system exists if $d \geq 2$ and two senders' biases are not parallel.

The denominator is nonzero. Also, by the Lebesgue Convergence Theorem, both the numerator and the denominator are continuous in (m_1, m_2) .²² Therefore, $\mu^k(m_1, m_2)$ is continuous with respect to (m_1, m_2) . QED

Proposition 17 *Let (s_1, s_2, y) be an equilibrium in the limit game. In addition to the assumptions in Proposition 16, suppose that $m_i = s_i(\theta_i)$ is continuous in θ_i for each $i = 1, 2$. Then every equilibrium that is supported by a consistent belief is continuous on the diagonal.*

Proof: By Proposition 16, $\mu^k(m_1, m_2)$ is continuous in (m_1, m_2) . Since $\mu^k(m_1, m_2)$ converges to $\mu(m_1, m_2)$ uniformly over (m_1, m_2) , $\mu(m_1, m_2)$ is also continuous in (m_1, m_2) , and hence $\mu(s_1(\theta_1), s_2(\theta_2))$ is continuous in (θ_1, θ_2) . QED

²²See Royden (1988), Theorem 16 of Chapter 4.

8 References

Aumann, R. and S. Hart [2003]: “Long cheap talk,” *Econometrica*, 71, 1619–1660.

Austen-Smith, D. [1993]: “Interested experts and policy advice: multiple referrals under open rule,” *Games and Economic Behavior* 5, 1–43.

Battaglini, M. [2002] “Multiple referrals and multidimensional cheap talk,” *Econometrica* 70 (4), 1379–1401.

Battaglini, M. [2004]: “Policy advice with imperfectly informed experts,” *Advances in Theoretical Economics* 4 (1), Article 1.

Chakraborty, A. and R. Harbaugh [2007]: “Comparative cheap talk,” *Journal of Economic Theory*, 132 (1), 70–94.

Crawford, V. and J. Sobel [1982]: “Strategic information transmission,” *Econometrica* 50 (6), 1431–1451.

Gilligan, T. W. and K. Krehbiel [1989]: “Asymmetric information and legislative rules with a heterogeneous committee,” *American Journal of Political Science* 33 (2), 459–490.

Krishna, V. and J. Morgan [2001a]: “A model of expertise,” *Quarterly Journal of Economics* 116, 747–775.

Krishna, V. and J. Morgan [2001b]: “Asymmetric information and legislative rules,” *American Political Science Review* 95 (2), 435–452.

Krishna, V. and J. Morgan [2004]: “The art of conversation: eliciting information from experts through multi-stage communication,” *Journal of Economic Theory* 117, 147–179.

Levy, G. and R. Razin [2007]: “On the limits of communication in multidimensional cheap talk: a comment,” *Econometrica*, 75 (3), 885–893,

Milgrom, P. and J. Roberts [1986]: “Relying on the information of interested parties,” *RAND Journal of Economics* 17(1), 18-32.

Royden, H. L. [1988]: “Real analysis,” third edition, Prentice Hall, Upper Saddle River, NJ.