New Perspectives on Star Formation, The Milky Way, and Isaac Newton*

Alyssa Goodman

Center for Astrophysics | Harvard & Smithsonian, Radcliffe Institute for Advanced Study

RESOLUTION +	Cores	Haystack NH ₃ , IRAS	GAS, Herschel	B5, DYNAMICS/DROPLETS
SENSITIVITY	Disks	Beckwith & Sargent, HST	ALMA, SPHERE	RINGS, PLANETS
SURVEYS	Stars	<u>Hipparcos</u>	Gaia	3D ORION
SIMULATIONS	MHD++	Gammie-Stone-Ostriker	Moving mesh, Arepo	SERPENS
SIMULATIONS	Photons, chem	SPH, Bate et al.	Krumholz , Rosen	"FRAGMENTATION?"
COMPARISONS	Synthetic Obs	Falgarone	Beaumont	P-P-V DISASTER
STATISTICS	Fitting	Least squares	Bayes	EXTINCTION/DISTANCES
ANALYSIS	Learning	Human	Human+Machine	BUBBLES ,FLOWS
SHARING	Data	NVO	<u>WWT</u> , ESA Sky	<u>ADSASS</u>
SHARING	Code	email	<u>GitHub</u>	ASTROPY
VISUALIZATION	3D plots	<u>DataDesk</u>	<u>glue</u>	RADCLIFFE WAVE
IDEAS	Connections	Triggered Star Formation	Radcliffe Wave	ISOLATIONISM BAD
GEOGRAPHY	Meetings	Protostars & Planets	Zoom, HHSF	BIG(!) COLLABORATIONS
PEOPLE	Diversity	few women, POC	look around	MORE PERSPECTIVES

Evolution: B5, DYNAMICS/DROPLETS


Revelation:
RADCLIFFE WAVE

B5, DYNAMICS/DROPLETS


1989




NH₃.Benson & Myers 1989




1998






2018







"SOON"

B5, DYNAMICS/DROPLETS





Figure 9. (a) Ratio between rotational and gravitational energies, β , plotted against the ratio between the kinetic and gravitational energies, $\Omega_{\rm K}/|\Omega_{\rm G}|$, for larger-scale dense cores (green dots), droplets (blue filled dots), and droplet candidates (blue empty dots). The red line corresponds to the relation, $E_{\rm rot} = |\Omega_{\rm G}|$, and the red band marks the parameter space within an order of magnitude from this relation. The parameter space to the right of the red line corresponds to $|\Omega_{\rm G}| < \Omega_{\rm K}$, and the left corresponds to $|\Omega_{\rm G}| > \Omega_{\rm K}$. The horizontal black line marks the median value of β for all cores shown in the figure (both dense cores and droplets; excluding droplet candidates). (b) Ratio between rotational and total kinetic energies, $E_{\rm rot}/\Omega_{\rm K}$, plotted against the ratio between the kinetic and gravitational energies, $\Omega_{\rm K}/|\Omega_{\rm G}|$, for larger-scale dense cores (green dots), droplets (blue filled dots), and droplet candidates (blue empty dots). Same as in (a), the red line corresponds to the relation, $E_{\rm rot} = |\Omega_{\rm G}|$ and separates the parameter space into one corresponding to objects being bound by self-gravity (left) and another corresponding to objects not being bound by self-gravity (right). The horizontal black line marks the median value of $E_{\rm rot} = |\Omega_{\rm G}|$ for all cores shown in the figure, excluding droplet candidates.

Droplets are essentially pressure-bound cores in a dynamical flow, and their rotation comes from that..

Chen et al. 2019 (cf. Burkert & Bodenheimer 2000).





The Radcliffe Wave

Each red dot marks a star-forming blob of gas whose distance from us has been accurately measured.

The Radcliffe Wave is **2.7 kpc**, and ~**120 pc wide**, with crest and trough reaching **160 pc** out of the Galactic Plane.

Its gas mass is **more than three million** Solar masses.

video created by the authors using AAS WorldWide Telescope (includes cartoon Milky Way by Robert Hurt)

The Radcliffe Wave

ACTUALLY 2 IMPORTANT DEVELOPMENTS

DISTANCES!!

We can now

measure distances

to gas clouds in our own Milky Way galaxy to ~5% accuracy.

RADWAVE

Surprising wave-


like arrangement

of star-forming gas is the "Local Arm" of the Milky Way.

DISTANCES!!

We can now measure distances


to gas clouds in our own Milky Way galaxy to ~5% accuracy.



can be used **anywhere** there's dust & measurable stellar properties



Uncertain Distances



"The Radcliffe Wave"

HOW= 3D dust mapping*



+ Gaia*



+ glue*




+ WorldWide Telescope






Can infer matter's distance from dust's effects on stars.



"Seeing" The Radcliffe Wave, in 3D




WHY DIDN'T WE FIND THE RADCLIFFE WAVE SOONER?



AAS WorldWide Telescope: worldwidetelescope.org

glue: glueviz.org

WHY DIDN'T WE FIND THE RADCLIFFE WAVE SOONER?




RADWAVE

Surprising wavelike arrangement of star-forming gas

is the "Local Arm" of the Milky Way.

The Radcliffe Wave

click the figure to launch interactive...



Accelerated Article Preview

A Galactic-scale gas wave in the solar

João Alves, Catherine Zucker, Alyssa Goodman, Joshua Speagle, Stefan Meingast, Thomas Robitaille, Douglas Finkbeiner, Edward F. Schlafly, and Gregory Green 2020, *Nature* (today)

Alves et al. Nature paper & two distance catalog papers by Zucker et al. (2019, 2020) include several interactive figures (via plot.ly & bokeh), and deep links to data (on Dataverse) and code (on GitHub) inspired by AAS "Paper of the Future" (Goodman et al. 2015)

"So What," for Astronomers?

RADWAVE

Surprising wavelike arrangement of star-forming gas is the "Local Arm" of the Milky Way.

demise of "Gould's Belt"

end to 100-year-old paradigm

"Local Arm" not shaped as we thought it was, locally

arm is "straight" from top-down

big wave in "arm" never previously observed

wave's origin unknown (collision? dark matter? accretion?)



What is the ORIGIN of the Radcliffe Wave? Collision?

Do other parts of the Milky Way show this wavy structure? How about other galaxies?

How can we SEARCH?

What do "waves" mean for the STAR-FORMING HISTORIES of galaxies?

SURF the Radcliffe Wave




Find these slides, the papers, videos, WWT Tours, and much more at: tinyurl.com/RadWave


The Path to Newton

A Lunch Appetizer/Bonus "ordered" by Mark


What would a "Path-To" look like for Star Formation (so far)?

The Path to Newton









The Path online interacts with a narrative—please enjoy later.

