



CORRESPONDENCE

SARS-CoV-2 Infection in Children

March 18, 2020

DOI: 10.1056/NEJMc2005073

[Metrics](#)[Chinese Translation 中文翻译](#)[19 Citing Articles](#)

TO THE EDITOR:

As of March 10, 2020, the 2019 novel coronavirus (SARS-CoV-2) has been responsible for more than 110,000 infections and 4000 deaths worldwide, but data regarding the epidemiologic characteristics and clinical features of infected children are limited.¹⁻³ A recent review of 72,314 cases by the Center for Disease Control and Prevention showed that less than 1% of the cases were in children younger than 10 years of age.² In order to determine the spectrum of disease in children, we evaluated children infected with SARS-CoV-2 and treated at the Wuhan Children's Hospital, the only center assigned by the central government for treating infected children under 16 years of age in Wuhan. Both symptomatic and asymptomatic children with known contact with persons having confirmed or suspected SARS-CoV-2 infection were evaluated. Nasopharyngeal or throat swabs were obtained for detection of SARS-CoV-2 RNA by established methods.⁴ The clinical outcomes were monitored up to March 8, 2020.

Table 1.

Table 1. Epidemiologic Characteristics, Clinical Features, and Radiologic Findings of 171 Children with SARS-CoV-2 Infection.*

Characteristic	Value
Age	
Median (range)	6.7 yr (1 day–13 yr)
Distribution — no. (%)	
<1 yr	31 (18.1)
1–5 yr	40 (23.4)
6–10 yr	58 (33.9)
11–15 yr	42 (24.6)
Sex — no. (%)	
Male	104 (60.8)
Female	67 (39.2)
Diagnosis — no. (%)	
Asymptomatic infection	27 (15.8)
Upper respiratory tract infection	33 (19.3)
Pneumonia	111 (64.9)
Exposure or contact information — no. (%)	
Family cluster	154 (90.1)
Confirmed family members	131 (76.6)
Suspected family members	23 (13.5)
Unidentified source of infection	15 (8.8)
Contact with other suspected case	2 (1.2)
Signs and symptoms	
Cough — no. (%)	83 (48.5)
Pharyngeal erythema — no. (%)	79 (46.2)
Fever — no. (%)	71 (41.5)
Median duration of fever (range) — days	3 (1–16)
Highest temperature during hospitalization — no. (%)	
<37.5°C	100 (58.5)
37.5–38.0°C	16 (9.4)
38.1–39.0°C	39 (22.8)
>39.0°C	16 (9.4)
Diarrhea — no. (%)	15 (8.8)
Fatigue — no. (%)	13 (7.6)
Rhinorrhea — no. (%)	13 (7.6)
Vomiting — no. (%)	11 (6.4)
Nasal congestion — no. (%)	9 (5.3)
Tachypnea on admission — no. (%)†	49 (28.7)
Tachycardia on admission — no. (%)‡	72 (42.1)
Oxygen saturation <92% during period of hospitalization — no. (%)	4 (2.3)
Abnormalities on computed tomography of the chest — no. (%)	
Ground-glass opacity	56 (32.7)
Local patchy shadowing	32 (18.7)
Bilateral patchy shadowing	21 (12.3)
Interstitial abnormalities	2 (1.2)

* Percentages may not total 100 because of rounding.

† The normal ranges of respiratory rate (in breaths per minute) were as follows: 40 to 60 for newborns, 30 to 40 for children younger than 1 year of age, 25 to 30 for those 1 to 3 years of age, 20 to 25 for those 4 to 7 years of age, 18 to 20 for those 8 to 14 years of age, and 12 to 20 for those older than 14 years of age. Tachypnea refers to a respiratory rate higher than the upper limit of the normal range according to age.

‡ The normal ranges of pulse rate (in beats per minute) were as follows: 120 to 140 for newborns, 110 to 130 for children younger than 1 year of age, 100 to 120 for those 1 to 3 years of age, 80 to 100 for those 4 to 7 years of age, 70 to 90 for those 8 to 14 years of age, and 60 to 70 for those older than 14 years of age. Tachycardia refers to a pulse rate higher than the upper limit of the normal range according to age.

Epidemiologic Characteristics, Clinical Features, and Radiologic Findings of 171 Children with SARS-CoV-2 Infection.

Of the 1391 children assessed and tested from January 28 through February 26, 2020, a total of 171 (12.3%) were confirmed to have SARS-CoV-2 infection. Demographic data and clinical features are summarized in [Table 1](#). (Details of the laboratory and radiologic findings are provided in the [Supplementary Appendix](#), available with the full text of this letter at [NEJM.org](https://www.nejm.org).) The median age of the infected children was 6.7 years. Fever was present in 41.5% of the children at any time during the illness. Other common signs and symptoms included cough and pharyngeal erythema. A total of 27 patients (15.8%) did not have any symptoms of infection or radiologic features of pneumonia. A total of 12 patients had radiologic features of pneumonia but did not have any symptoms of infection. During the course of hospitalization, 3 patients required intensive care support and invasive mechanical ventilation; all had coexisting conditions (hydronephrosis, leukemia [for which the patient was receiving maintenance chemotherapy], and intussusception). Lymphopenia (lymphocyte count, $<1.2 \times 10^9$ per liter) was present in 6 patients (3.5%). The most common radiologic finding was bilateral ground-glass opacity (32.7%). As of March 8, 2020, there was one death. A 10-month-old child with intussusception had multiorgan failure and died 4 weeks after admission. A total of 21 patients were in stable condition

in the general wards, and 149 have been discharged from the hospital.

This report describes a spectrum of illness from SARS-CoV-2 infection in children. In contrast with infected adults, most infected children appear to have a milder clinical course. Asymptomatic infections were not uncommon.² Determination of the transmission potential of these asymptomatic patients is important for guiding the development of measures to control the ongoing pandemic.

Xiaoxia Lu, M.D.

Liqiong Zhang, M.D.

Hui Du, M.D.

Wuhan Children's Hospital, Wuhan, China

Jingjing Zhang, Ph.D.

Yuan Y. Li, Ph.D.

Jingyu Qu, Ph.D.

Wenxin Zhang, Ph.D.

Youjie Wang, Ph.D.

Shuangshuang Bao, Ph.D.

Ying Li, Ph.D.

Chuansha Wu, Ph.D.

Hongxiu Liu, Ph.D.

Huazhong University of Science and Technology, Wuhan, China

Di Liu, Ph.D.

Wuhan Institute of Virology, Wuhan, China

Jianbo Shao, M.D.

Xuehua Peng, M.D.

Huazhong University of Science and Technology, Wuhan, China

Yonghong Yang, M.D.

Beijing Children's Hospital, Beijing, China

Zhisheng Liu, M.D.

Yun Xiang, M.D.

Furong Zhang, M.D.

Wuhan Children's Hospital, Wuhan, China

Rona M. Silva, Ph.D.

Kent E. Pinkerton, Ph.D.

University of California, Davis, Davis, CA

Kunling Shen, M.D.

Chinese National Clinical Research Center for Respiratory Diseases, Beijing, China

Han Xiao, Ph.D.

Institute of Maternal and Child Health, Wuhan, China

Shunqing Xu, M.D., Ph.D.

Wuhan Children's Hospital, Wuhan, China

xust@hust.edu.hk

Gary W.K. Wong, M.D.

Chinese University of Hong Kong, Shatin, China

wingkinwong@cuhk.edu.hk

for the Chinese Pediatric Novel Coronavirus Study Team

[Disclosure forms](#) provided by the authors are available with the full text of this letter at NEJM.org.

This letter was published on March 18, 2020, at NEJM.org.

Drs. Lu, J. Zhang, Y.Y. Li, and D. Liu and Drs. Shen, Xu, and Wong contributed equally to this letter.

4 References ▾

Supplementary Material ▾

Supplementary Appendix	PDF	2002KB
Disclosure Forms	PDF	483KB

Citing Articles (19)



1. Claire Frauenfelder, Colin Butler, Ben Hartley, Lesley Cochrane, Chris Jephson, Robert Nash, Richard Hewitt, David Albert, Michelle Wyatt, Andrew Hall. (2020) Practical insights for paediatric otolaryngology surgical cases and performing microlaryngobronchoscopy during the COVID-19 pandemic. *International Journal of Pediatric Otorhinolaryngology* **134**, 110030.
[Crossref](#)
2. Ondrej Hrusak, Tomas Kalina, Joshua Wolf, Adriana Balduzzi, Massimo Provenzi, Carmelo Rizzari, Susana Rives, María del Pozo Carlavilla, Maria E.V. Alonso, Nerea Domínguez-Pinilla, Jean-Pierre Bourquin, Kjeld Schmiegelow, Andishe Attarbaschi, Pernilla Grillner, Karin Mellgren, Jutte van der Werff ten Bosch, Rob Pieters, Triantafyllia Brozou, Arndt Borkhardt, Gabriele Escherich, Melchior Lauten, Martin Stanulla, Owen Smith, Allen E.J. Yeoh, Sarah Elitzur, Ajay Vora, Chi-Kong Li, Hany Ariffin, Alexandra Kolenova, Luciano Dallapozza, Roula Farah, Jelena Lazic, Atsushi Manabe, Jan Styczynski, Gabor Kovacs, Gabor Ottoffy, Maria S. Felice, Barbara Buldini, Valentino Conter, Jan Stary, Martin Schrappe. (2020) Flash survey on severe acute respiratory syndrome coronavirus-2 infections in paediatric patients on anticancer treatment. *European Journal of Cancer* **132**, 11-16.
[Crossref](#)
3. Lin Ang, Hye Won Lee, Anna Kim, Ju Ah Lee, Junhua Zhang, Myeong Soo Lee. (2020) Herbal medicine for treatment of children diagnosed with COVID-19: A review of guidelines. *Complementary Therapies in Clinical Practice* **39**, 101174.
[Crossref](#)
4. Sreekanth Kumar Mallineni, Nicola P. Innes, Daniela Procida Raggio, Mariana Pinheiro Araujo, Mark D. Robertson, Jayakumar Jayaraman. (2020) Coronavirus disease (COVID-19): Characteristics in children and considerations for dentists providing their care. *International Journal of Paediatric Dentistry* **69**.
[Crossref](#)
5. Priyank J. Yagnik, Jacob Umscheid, Abdul Wasay Khan, Mazahir Ali, Parth Bhatt, Pooja H. Desai. (2020) Pediatric Characteristics of 2019 Novel Coronavirus: Review of Available Published Literature. *Clinical Pediatrics*, 000992282092001.
[Crossref](#)
6. Jonas F. Ludvigsson. (2020) Systematic review of COVID-19 in children shows milder cases and a better

prognosis than adults. *Acta Paediatrica* 382.

[Crossref](#)

7. , , Stephanie Bialek, Ryan Gierke, Michelle Hughes, Lucy A. McNamara, Tamara Pilishvili, Tami Skoff. (2020) Coronavirus Disease 2019 in Children — United States, February 12–April 2, 2020. *MMWR. Morbidity and Mortality Weekly Report* 69:14, 422-426.
[Crossref](#)
8. Ines Steffens. (2020) A hundred days into the coronavirus disease (COVID-19) pandemic. *Eurosurveillance* 25:14.
[Crossref](#)
9. Corsino Rey Galán, Laia Alsina Manrique de Lara, Montserrat Antón Gamero, Alfredo Cano Garcinuño, Gonzalo Solís Sánchez. (2020) Infección por coronavirus (COVID-19) en Anales de Pediatría. *Anales de Pediatría*.
[Crossref](#)
10. Dinesh Kaul. (2020) An overview of coronaviruses including the SARS-2 coronavirus – Molecular biology, epidemiology and clinical implications. *Current Medicine Research and Practice*.
[Crossref](#)
11. Yuhan Xing, Wei Ni, Qin Wu, Wenjie Li, Guoju Li, Wendi Wang, Jianning Tong, Xiufeng Song, Gary Wing Kin Wong, Quansheng Xing. (2020) Dynamics of faecal SARS-CoV-2 in infected children during the convalescent phase. *Journal of Infection*.
[Crossref](#)
12. Marco Aurélio Palazzi Safadi. (2020) The intriguing features of COVID-19 in children and its impact on the pandemic. *Jornal de Pediatria*.
[Crossref](#)
13. Yuefei Jin, Haiyan Yang, Wangquan Ji, Weidong Wu, Shuaiyin Chen, Weiguo Zhang, Guangcai Duan. (2020) Virology, Epidemiology, Pathogenesis, and Control of COVID-19. *Viruses* 12:4, 372.
[Crossref](#)

14. Luca Ferretti, Chris Wymant, Michelle Kendall, Lele Zhao, Anel Nurtay, Lucie Abeler-Dörner, Michael Parker, David Bonsall, Christophe Fraser. (2020) Quantifying SARS-CoV-2 transmission suggests epidemic control with digital contact tracing. *Science*, eabb6936.
[Crossref](#)
15. Yu-Han Xing, Wei Ni, Qin Wu, Wen-Jie Li, Guo-Ju Li, Wen-Di Wang, Jian-Ning Tong, Xiu-Feng Song, Gary Wing-Kin Wong, Quan-Sheng Xing. (2020) Prolonged viral shedding in feces of pediatric patients with coronavirus disease 2019. *Journal of Microbiology, Immunology and Infection*.
[Crossref](#)
16. Stefan H.F. Hagmann. (2020) COVID-19 in children: More than meets the eye. *Travel Medicine and Infectious Disease*, 101649.
[Crossref](#)
17. Padmaj Kulkarni, Manikandan Dhanushkodi. (2020) Novel coronavirus severe acute respiratory syndrome-coronavirus 2 (coronavirus disease 2019): We shall overcome!. *Indian Journal of Medical and Paediatric Oncology* DOI: 10.4103/ijmpo.ijmpo_104_20, 0.
[Crossref](#)
18. Ana Paula de Carvalho Panzeri Carlotti, Werther Brunow de Carvalho, Cíntia Johnston, Isadora Souza Rodriguez, Artur Figueiredo Delgado. (2020) COVID-19 Diagnostic and Management Protocol for Pediatric Patients. *Clinics* 75.
[Crossref](#)

[Close Citing Articles](#)**More about**

INFECTIOUS DISEASE

VIRAL INFECTIONS

GLOBAL HEALTH

INFLUENZA

More from the week of April 16, 2020

PERSPECTIVE

Controlled Trials One in Four — The Importance of Comprehensive Fertility Benefits for the Medical
E.C. Kaye

Tap into
groundbreaking
research and
clinically relevant
insights

SUBSCRIBE

Already a subscriber? [Sign In](#) or [Renew](#)

